

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,837,768 B2
APPLICATION NO. : 10/086562
DATED : January 4, 2005
INVENTOR(S) : Junji Kawasaki

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 41, "and" should read --and/or--.

COLUMN 2

Line 41, "all" should read --an--;
Line 58, "tho" should read --the--; and
Line 63, "front" should read --from--.

COLUMN 3

Line 29, "cross" should read --cross---;
Line 31, "cross section" should read --cross-section--;
Line 38, "air" should read --an--;
Line 40, "cross sectional" should read --cross-sectional--; and
Line 41, "plan" should read --plane--.

COLUMN 4

Line 52, "scaling" should read --sealing--.

COLUMN 5

Line 13, "cross sectional" should read --cross-sectional--;
Line 27, "Used." should read --used.--;

COLUMN 6

Line 61, "described" should read --ascribed--; and
Line 65, "no" should read --not--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,837,768 B2
APPLICATION NO. : 10/086562
DATED : January 4, 2005
INVENTOR(S) : Junji Kawasaki

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7

Line 9, "a oil" should read --an oil--;
Line 11, "nay" should read --may--;
Line 15, "basing" should read --based--;
Line 16, "arid" should read --and--;
Line 27, "acetonitrile" should read --, and acetonitrile,--;
Line 36, "I_n." should read --I_e.--; and
Line 43, "arid" should read --and--.

COLUMN 8

Line 41, "Electrostatic" should read --electrostatic--;
Line 50, "stick" should read --fix--; and
Line 53, "once to" should read --onto--.

COLUMN 9

Line 2, "be, used" should read --be used--;
Line 5, "groove 211," should read --groove 211.--;
Line 7, "that" should read --in which-- and "substrate," should read
--substrate--;
Line 34, "evaporate" should read --evaporated-- and "may be, mixed" should
read -- may be mixed--; and
Line 51, "sheave," should read --sieve,--.

COLUMN 10

Line 13, "scaling" should read --sealing--.

COLUMN 11

Line 2, "results in leak" should read --result in leaks--;
Line 23, "invention," should read --invention--;
Line 36, "dumped" should read --discarded.--; and
Line 39, "substrate," should read --substrate--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,837,768 B2
APPLICATION NO. : 10/086562
DATED : January 4, 2005
INVENTOR(S) : Junji Kawasaki

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12

Line 15, "from" should read --form--; and
Line 58, "hPa" should read --kPa-- and "increase," should read --increase--.

COLUMN 13

Line 4, "Lines" should read --lines--;
Line 14, "driver," should read --driver--;
Line 17, "reaches" should read --reached--;
Line 20, "were" should read --was--;
Line 31, "the," should read --the--;
Line 52, "cross sectional" should read --cross-sectional-- and "a" should read --an--; and
Line 58, "n" should read --a--.

COLUMN 14

Line 27, "the," should read --the--;
Line 30, "wars" should read --was--;
Line 33, "frame," should read --frame--;
Line 45, "attached" should read --that attached--;
Line 46, "formed," should read --formed.--; and
Line 55, "visa" should read --via--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,837,768 B2
APPLICATION NO. : 10/086562
DATED : January 4, 2005
INVENTOR(S) : Junji Kawasaki

Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 15

Line 8, "firm" should read --film--.

Signed and Sealed this

Fifth Day of December, 2006

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS
Director of the United States Patent and Trademark Office